



3000

roller blind systems

Control light Save energy Preserve view

www.astraluxsystems.com









The Astralux 3000 roller blind system provides an extremely wide range of blind options for virtually any type of vertical glazing. As with all Astralux products the systems are designed for use in commercial, education, healthcare and leisure environments providing ease of operation, low maintenance and durability.

DESCRIPTION

These roller blind systems consist of an aluminium or steel barrel onto which the specified fabric is securely fastened. A range of headboxes, fascias, side channels, bottom bar options and operating methods are available.

Astralux 3000

roller blind systems

The Astralux 3000 roller blind system is available in an extensive range of flame retardant fabrics including:

- Anti-microbial
- Black-out
- Dim-out
- Glare control

- Energy saving
- Heat reflective
- Metallised
- Screen

CONTROL OPTIONS

- Spring operation, with slow rise so blind retracts at a constant speed
- Side chain, where blind is raised or lowered by a continuous chain located on one side of the blind
- Crank operation, with fixed or removable handle to prevent unauthorised use
- Motorised, where a blind can be hard wired, radio controlled or linked to a BMS systems



Side chain operation



Crank operation



Motorised

N10 SPECIFICATION GUIDE

Roller blinds to be Astralux 3000 System with roller barrel to suit glazing dimensions.

Operation by side ball chain / spring / crank / low voltage motor / mains voltage motor.*

Fabric to be + / chosen from Astralux range selector* Colour to be + Supplied and installed by an approved Astralux distributor.

*Delete as applicable + Insert as applicable

Astralux 3000

roller blind systems

PRODUCT OPTIONS

- Powder coated hardware to match glazing frames or decor
- Side guide wires to prevent excessive movement of the blind
- Fascia and cassette systems to conceal roller barrel for a neater appearance
- Side channels to guide the blind and permit natural ventilation

- Shaped blinds
- Linked operation so one operating mechanism controls a number of blinds
- Pre-set stop position to ensure all blinds line up for elevational consistency
- Screen printing on fabrics



Side guide wires



Headbox cassette to conceal roller



Chain tension device

CHILD SAFETY

 All Astralux products operated by cords or chains will be supplied with BS EN 13120:2009+A1:2014 compliant safety devices where required



 There are also inherently child safe operating options available with all Astralux products

Astralux 3000

roller blind systems

DIMENSIONS

The Astralux 3000 roller blind system can be used with any glazing from standard windows through to large glazed areas and curtain walling.

Max 8m Max 42m²

Max 6m

Maximum blind size

OTHER ASTRALUX SYSTEMS

Astralux 1000
Vertical Blind Systems

Astralux 2000

Venetian Blind Systems
Astralux 4000

Room Darkening Systems
Astralux 5000

Tensioned Roller & Atria Systems

Astralux 6000

Internal & External Louvre Blind Systems

Astralux 7000

Awning Systems
Astralux 8000

External Venetian Blind Systems



Textured Fabrics



Variety of Colours



Coupling Systems

Astralux products are available from:





North West, West Midlands & Wales

Pentel Contracts Limited • 2nd Floor, Lowry Mills, Lees Street, Swinton • Manchester • M27 6DB

t • 0161 872 7642

e • info@pentel-contracts.com www.pentel-contracts.com



Rest of UK

Dearnleys Limited • Units 1 - 4, Sirdar Business Park, Flanshaw Lane • Wakefield • W.Yorkshire • WF2 9HX

t • 01924 371 791

e • info@dearnleys.com www.dearnleys.com